



ATTACHMENT K4 STORING YOUR POV











June 2017

TABLE OF CONTENTS

NT K4 – STORING YOUR POV	K4-1
Introduction	K4-3
Military Service Instructions	K4-3
POV Storage Eligibility	K4-3
Non-Conforming POVs	K4-4
Insurance and Licensing	K4-5
Types of POVs Allowed to Be Stored	K4-5
What May Be Stored in a POV	K4-6
Member Responsibilities	K4-6
Contractor Responsibilities	K4-8
Customer Feedback	K4-9
Loss and Damage	K4-10
Advance Member Pickup Notification	K4-10
Delivery from a Storage Facility for Pickup at CONUS/OCONUS VPC	K4-10
Early Release of POV from Storage Without New PCS Orders	K4-10
Abandoned POVs	K4-10
Government Assistance	K4-11
Global POV Contractor Website	K4-11
General VPC Information	K4-11
	Introduction

A INTRODUCTION

This attachment provides you information to prepare your Privately Owned Vehicle (POV) for storage under the Global POV Contract (GPC). The successful storage of your POV is not a matter of chance. It is a result of advance preparation and planning. It is your POV. Ask questions. Be involved. Read what you sign. Contact your local Transportation Office (TO) or Personal Property Shipping Office (PPSO) prior to making any plans to store a POV. This attachment has been reviewed by the Per Diem, Travel and Transportation Allowance Committee in accordance with (IAW) Department of Defense Directive 5154.29, <u>DoD Pay and Allowances Policy and Procedures</u> as PDTATAC Case 090628.

NOTE: This attachment almost exclusively applies to military members eligible for POV storage. Civilian employees are only authorized POV storage in connection with evacuations (Joint Travel Regulation [JTR] Chapter 6, 060405) or when assigned Temporary Change of Station (TCS) in support of a contingency operation (JTR, Paragraph 032905).

B MILITARY SERVICE INSTRUCTIONS

In addition to instructions contained in this attachment, the shippers and Service TOs are governed by instructions established by the sponsoring Service and the JTR. This attachment does not apply to United States (U.S.) Coast Guard civilian employees as their allowances are governed by the Federal Travel Regulation and Department of Homeland Security regulations.

C POV STORAGE ELIGIBILITY

- 1. A Service member is eligible to have one POV stored at a storage facility if the member is:
 - a. Ordered to make a Permanent Change of Station (PCS) to a foreign/non-foreign Outside Continental United States (OCONUS) Permanent Duty Station (PDS) and:
 - (1) POV transportation is not permitted due to the country, area, U.S. laws, regulations, other restrictions

or

- (2) The vehicle would require extensive modification (other than normal maintenance servicing) as a condition to entry into the foreign/non-foreign OCONUS PDS.
- b. Sent to a Temporary Duty Station for more than 30 days to a contingency operation (JTR, Appendix A, Definitions and Acronyms)
- c. Sent TDY for more than 30 days in support of humanitarian assistance or other emergency operations, as declared by Executive Order or the Administering Secretary, and the Secretary Concerned authorizes POV storage
- d. Authorized POV transportation because of a change in a ship's home port where there are more than 30 days between the ship's departure from the old home port and arrival at the new home port.
- 2. Storage: The Services, through their Secretarial processes, may designate POV storage facilities:
 - a. Government-procured Storage Available:
 - (1) If a Service elects to store a member's POV, then the member may personally arrange storage at a commercial facility.
 - (2) A member who personally arranges for storage at a facility other than the Service-designated facility is reimbursed for the actual storage cost not to exceed the Government-constructed storage cost.

- b. Government-procured Storage Not Available, not Designated, or the member has been instructed by the TO/PPSO to store the POV at personal expense:
 - (1) The member arranges POV storage at a commercial facility and is reimbursed for the actual storage cost.

NOTE 1: Storage of more than one POV and/or storage of a POV instead of authorized transportation are not allowed. Members are financially responsible for storage and/or transportation of additional POVs.

NOTE 2: Service regulations/guidance may require a letter from the TO authorizing POV storage.

3. Storage in Lieu of Shipment:

- a. POV storage is in lieu of POV shipment both to and from the foreign OCONUS PDS to which a POV shipment is prohibited.
- b. A member who stores a POV at government expense is not authorized POV shipment from the foreign OCONUS location upon subsequent PCS.
- c. A member may ship the stored POV if ordered on a Consecutive Overseas Tour and POV transportation is permitted to the subsequent OCONUS PDS.
- d. A member may not continue to store the POV at government expense while shipping another POV to the subsequent OCONUS PDS.

4. Restrictions:

- a. Vehicle Size: A member who stores a POV that exceeds 20 measurement tons is financially responsible for any storage costs caused by the vehicles excess size. (As an exception, the Secretarial Process may authorize/approve storage of an oversized POV for medical reasons.)
- b. Combining POV Size Limitation When Service Member Is Married to Service Member: The size restriction may be waived for the purpose of storing one larger vehicle at government expense in lieu of storing two POVs (one POV for each member) when each member is authorized POV storage. Payment for storing the vehicle may not exceed the Government's total cost if each member had stored a vehicle within the maximum standard size.
- c. Other Excess Storage Costs: Excess storage costs incurred because of the member's negligence or choice are the member's financial responsibility. Excess costs are collected IAW Component publications.

NOTE 1: Only one POV owned or leased by a member or the member's dependents and for the member's personal use may be placed in storage at Government expense.

NOTE 2: The POV will remain in storage during the member's tour of duty. When the vehicle is removed from storage, it cannot be returned to storage at Government expense under the same orders.

- 5. Emergency Storage in the Event of Evacuation:
 - a. In the event a Department of Defense civilian employee/traveler and/or his/her dependents have to evacuate from an OCONUS PDS, emergency storage expenses for the traveler's POV may be authorized IAW JTR Paragraph 060405.

D NON-CONFORMING POVS

1. POVs imported to the United States are subject to safety standards under the Motor Vehicle Safety Act of 1966, revised under the Imported Vehicle Safety Compliance Act of 1988, recodified at 49 U.S.C. 301; bumper standards under the Motor Vehicle Information and Cost Act

- of 1972 (which became effective in 1978), re-codified at 49 U.S.C. 325; and air pollution control standards promulgated by the Environmental Protection Agency (EPA) under the <u>Clean Air Act</u> of 1968, as amended in 1977 and 1990.
- 2. These laws and regulations apply to importing POVs to any state of the United States, the District of Columbia, Puerto Rico, the Northern Mariana Islands, Guam, American Samoa, and the Virgin Islands. Modifications required for nonconforming POVs to comply with U.S. safety and environmental standards are performed by registered importers and independent commercial importers. As a general rule, all POVs less than 25 years old must comply with all applicable federal motor vehicle safety standards, and all POVs less than 21 years old must comply with federal emissions standards. Fulfillment of federal requirements does not relieve the member from fulfilling requirements of a state or district of the United States. For information regarding registration or operation of a properly imported vehicle in a specific state, contact the Department of Motor Vehicles or other agency. Vehicles manufactured to meet the federal motor vehicle safety standards have a certification label affixed by the original manufacturer in the area of the driver-side-door. Vehicles manufactured to meet the federal motor vehicle emissions standards have an emissions label affixed in the engine compartment stating that the vehicle meets U.S. EPA emissions standards. Vehicles lacking these certification labels are nonconforming and must be brought into compliance. Information for importing and converting vehicles to U.S. specifications may be obtained from www.nhtsa.dot.gov/cars/rules/import/.

NOTE: Storage of Non-Conforming POVs in the Continental United States (CONUS) is prohibited.

E INSURANCE AND LICENSING

Insurance and licensing, if required, are the responsibility of the member. Many states allow for submitting a De-Insured Certificate or a Non-Use Certificate to avoid re-registration penalties. Vehicle re-registration requirements are the responsibility of the member; contact your State Department of Motor Vehicles for assistance.

F TYPES OF POVS ALLOWED TO BE STORED

- 1. Any motor vehicle owned by or on a long-term lease (12 or more months) to a member or a dependent of the member for the primary purpose of providing personal transportation that:
 - a. Is self-propelled;
 - b. Is licensed to travel on the public highways;
 - c. Is designed to carry passengers or household goods; and
 - d. Has four or more wheels or, at the member's option, is a motorcycle or moped, if the member does not ship a vehicle with four or more wheels on the same authorization/order.

2. Propane tanks:

a. Vehicles with propane tanks are accepted when the propane tank is an integral part of the vehicle used to power the engine or for other purposes and will require considerable cost for the removal of the tank. The propane tanks allowed must be purged and certified before the POV is turned in at the Vehicle Processing Center (VPC) or port. A label will be affixed or tagged to the tank. The person turning in the vehicle must produce written authority that the tank is empty or has been purged. New and empty tanks meet these requirements. The certification must come from an individual or firm authorized to purge propane tanks. Loose tanks, such as those used for gas stoves or barbeques, are not accepted.

G WHAT MAY BE STORED IN A POV

Only authorized personal articles may remain in a POV when it is turned in for storage. All household items and camping equipment must be removed. The following items may be stored:

- 1. Items such as jacks, tire irons, tire chains, fire extinguishers, nonflammable tire inflators, first aid kits, jumper cables, and warning triangle/trouble lights
- 2. One spare tire and two snow tires with wheels (either mounted or un-mounted).

H MEMBER RESPONSIBILITIES

Following a few simple rules will make storing a POV much easier. Failure to follow these rules may cause the POV VPC to refuse the POV for storage. The member must provide valid emergency contact information, including but not limited to their OCONUS duty station forwarding valid address, phone number(s), or personal and work electronic mail address where they may be contacted, and at least one point of contact in the CONUS. This information is necessary should the customer need to be contacted with regards to the status of their vehicle and updates to their storage entitlements.

1. POV-turn in at CONUS/OCONUS (Origin):

- a. Have three complete sets of orders/amendments and a letter of authorization signed by the TO authorizing POV storage.
- b. Ensure the POV contains no more than one-fourth tank of fuel (gasoline or diesel).
- c. An inspector will inspect the POV with the member. When the inspection is completed, the member and the inspector will sign the DD Form 788, Private Vehicle Shipping Document for Automobile, Figure K4-2, or commercial equivalent. The member will be provided with copies of all forms as a receipt for the POV. These copies will be required to pick up the vehicle, and it will be required by the Military Claims Office (MCO) should a claim be filed for loss or damage to the POV. Only the person turning in the POV will be allowed in the inspection area.
- d. All fluids must be fresh and at the proper levels when the POV is turned in for storage.
- e. Ensure all leaks have been repaired. POVs showing any type of fluid or oil leaks are not accepted.
- f. Ensure a fresh battery is installed, especially if current battery is more than two years old. Batteries are tested to ensure readings are between 11.5 to 13.2 volts. If the battery reading is below 11.5 volts, the battery might have to be replaced (at member's expense) while the POV is in storage.
- g. Make sure the POV is in a safe and operable condition when it is turned in at the VPC. Vehicles that are inoperable or not safe are not accepted.
- h. Make sure the POV is clean. Dry-vacuum only. The VPC does not accept a POV laden with dirt, soil, mud or similar matter, to include the undercarriage.
- i. Empty the glove compartments, except for all required items.
- j. Turn off or otherwise disconnect installed auto alarm or anti-theft device prior to turn-in.
- k. Have in your possession a valid driver's license, proof of ownership (title and registration), and a photo ID.

- 1. Have in your possession a complete set of keys, to include gas cap and wheel lock keys, upon delivery to the VPC. Retain a complete set of duplicate keys and have them with you when you pick up the POV.
- m. If necessary, have a Certified Power of Attorney or letter of authorization from the member/employee designating someone to act on his or her behalf. These options do not apply to a spouse who is identified on the member's/employee's official travel orders. Here is an acceptable example:
 - "I hereby appoint (name of agent) as my agent for the delivery of my privately owned vehicle (vehicle and ID number) to the appointed military storage facility, and I appoint him/her my attorney-in-fact to sign all documents required for the delivery of my vehicle for storage."
- n. If your vehicle is leased, you are required to provide a letter authorizing the storage of your vehicle. (Please check your lease documentation or check with your leaseholder beforehand, to avoid a delay in storing your vehicle.)
- o. Ensure your agent has proper civilian identification and all other documentation required to store your POV.
- p. Provide a valid forwarding address, phone number, or personal and work electronic mail address where you may be notified if repairs to the vehicle are required or to update you on your storage entitlements.
- q. Read the liability statements presented by the contractor at the time of turn in.
- r. For OCONUS only: The representative will have the member complete/sign DOT Form HS-7, Importation of Motor Vehicles and Motor Vehicle Equipment Subject to Federal Motor Vehicle Safety, Bumper and Theft Prevention Standards, Figure K4-4, where applicable; EPA Form 3520-1, Importation of Motor Vehicles and Motor Vehicle Engines Subject to Federal Air Pollution Regulations, Figure K4-5, where applicable; and/or DD Form 1252, US Customs and Border Protection (CBP) Declaration for Personal Property Shipments, Part I, Figure K4-3, where applicable.
- s. If you require a storage extension (i.e., new or extended orders authorizing continued storage), you must provide supporting documentation to the VPC where you turned in your POV prior to storage expiration. Contact information is located at http://www.pcsmypov.com. Abandonment procedures will be initiated for POVs without a continuing entitlement and authorization on file.
- t. Ensure the vehicle does not have an unresolved "Recall Notice". You can check the recall status of your POV by referencing the website https://vinrcl.safercar.gov/vin. The VPC can refuse to accept a vehicle for storage if the vehicle presents a safety hazard to a VPC employee or its facilities and/or equipment. Documentation from a certified mechanic/dealership authorized to perform "Recall Notice" repairs may be required. If a recall cannot be corrected due to lack of parts from the original manufacturer or due to a lack of mechanical ability in the geographical area, the customer should contact the VPC for assistance.

I CONTRACTOR RESPONSIBILITIES

1. POV Turn-In Process:

- a. Advise the member on the vehicle storage process and complete all the documentation required for movement.
- b. Complete the additional vehicle storage checklist along with the vehicle inspection survey form.
- c. Ensure vehicles are safe, operable, and leak-free prior to acceptance.
- d. Ensure motorcycles are crated for delivery to the storage facility.

2. POV Storage:

- a. Store POVs indoors in accordance with the vehicle manufacturer's recommendations and/or standard commercial practices in effect at the time of storage in order to maintain the operability of the POV while in storage.
- b. Clean POVs prior to placing them into storage, cover POVs when applicable, and lock POVs while in storage.
- c. Cycle air conditioning/heat and move POVs every 30 days.
- d. Repair/replace POV batteries as required to maintain operability.
- e. Add fuel stabilizer as required.
- f. Provide repair estimates to the member and Government Contracting Officer's Representative (COR). Repair POVs as necessary to maintain operability of the POV after receiving approval from the Government COR and member.
- g. Notify the member of all repairs within 1 week of the repair being performed.

3. POV Pick-Up Process:

- a. Notify the member of the end of their storage entitlement within 45 days prior to the end of their tour of duty as stated in the original orders at the time of turn-in.
- b. Notify the member if the POV is inoperable or damaged.
- c. Notify the member of any difference on the odometer that is more than .5 miles per month while in storage.
- d. Inform the member on claims procedures and provide the member a copy of instructions for filing a claim.
- e. Handle on-site-claims at the destination VPC if the owner or the owner's agent elects to settle such a claim.
- f. Note all claimed damage prior to the member leaving the VPC.
- g. Record remarks indicating the reason for the delay of delivery, loss/damages, and unique shipping circumstances.
- h. Ensure a joint inspection with the member or the member's agent.

4. Oversized Vehicles:

a. Determine whether the member's vehicle exceeds the 20 measurement tons allowance the member is entitled to store at Government expense. To calculate your POVs measurement

- ton, multiply the length x width x height of your POV in inches, divide by 1728, and then divide by 40.
- b. Recommend ways to reduce the dimensions of an oversized POV (e.g., remove ladders, externally mounted spare tires, and/or luggage racks and/or fold/remove side mirrors).
- c. Calculate the charges for any excess costs for the storage of an oversized vehicle and prepare documents.
- d. When the cost is determined, explain how the costs are determined and will be collected from the customer using DD Form 139, <u>Pay Adjustment Authorization</u>, <u>Figure K4-1</u>. The contractor may also refer the customer to the Government COR responsible for the VPC turnin site.

5. Joint Inspection:

- a. Perform a joint inspection of the member's POV and record the physical condition of the POV. You are allowed to take exception to the inspector's recording of the physical condition of your POV on the reverse side of the vehicle inspection form. Only the person responsible for vehicle turn-in/pick-up is allowed in the inspection area.
- b. Provide the member the opportunity to comment on the service the member received on the DD Form 788 or on the USTRANSCOM-approved commercial equivalent vehicle inspection form.
- c. Pack, secure, and inventory authorized personal contents that will remain in the POV and provide a copy of the inventory to the member.
- d. Provide the member with a legible copy of DD Form 788 or the commercial equivalent upon acceptance of the member's POV.

NOTE: It is important to retain this document and have it in your possession at the time of pickup to compare the condition of the vehicle with that recorded at turn-in.

6. Routing to a Storage Facility:

a. Move the vehicle to the storage facility it selects. The vehicle may be moved to another storage facility at any time while in storage. The relocation of the POV to another storage location has no effect on your storage entitlement.

7. Liability:

- a. Contractor is liable for up to the fair market value of POV according to the National Automobile Dealers Association (NADA) Official Used Car Guide.
- b. The contractor is not liable for any degradation due to the member's unwillingness to maintain the POV in storage.

J CUSTOMER FEEDBACK

USTRANSCOM depends on the customer to monitor the contractor's service to provide
customers with quality services. We request all VPC customers to complete "Customer
Feedback." This feedback provides additional information and allows the Government and the
contractor to take action to correct deficiencies when they occur, and it is your opportunity to
provide input in the POV storage process.

2. Only the Government representative has access to the Customer Feedback. If the Government contractor utilizes a comment card as the tool to solicit customer feedback, it is preferred the card be turned in at the VPC, the customer has the option to complete the card and mail it to:

USTRANSCOM ATTN: TCJ4-H

1 Soldier Way, Building 1900 West

Scott AFB, IL 62225

K LOSS AND DAMAGE

When picking up your POV:

- 1. Carefully inspect the exterior and interior to determine whether there are any new damages.
- 2. Make sure items left in the POV at the origin terminal are still there.
- 3. Annotate all discovered loss and/or damage to your POV on your vehicle shipping document (DD Form 788) or commercial equivalent. Failure to do this may result in no payment for this damage.

L ADVANCE MEMBER PICKUP NOTIFICATION

In the event you have not already contacted the storage facility or managing VPC to arrange the pickup of your POV, you will be notified by them via certified mail with pre-pickup information 45 days prior to your tour end date. Vehicles are stored for a period of 90 days after termination of tour of duty. If no contact is made by the end of 90-day period after termination of the member's tour of duty, POV abandonment procedures will be initiated.

M DELIVERY FROM A STORAGE FACILITY FOR PICKUP AT CONUS/OCONUS VPC

You must provide the contractor with pickup or forwarding instructions no less than 30 days prior to the requested delivery date at the designated CONUS VPC or delivery to a CONUS VPC for OCONUS movement. The instructions are located at http://www.pcsmypov.com/. Movement from storage requires a complete copy of the members' new orders, including amendments. In addition, movement to OCONUS points will require the documents specified in "Shipping Your POV" attachment.

N EARLY RELEASE OF POV FROM STORAGE WITHOUT NEW PCS ORDERS

Members requesting early release of POVs from storage for personal reasons without new PCS orders must be aware of the following:

- 1. Once a POV is released from storage, that POV is not authorized further storage at Government expense, to include personally procured storage, until new orders are issued.
- 2. POVs withdrawn from storage without new orders are only authorized movement to the original CONUS turn-in VPC or the CONUS VPC serving the storage site. The POV is not authorized movement to the OCONUS turn-in site.
- 3. The Service must approve any movement requiring transport to another CONUS VPC before movement can occur, and the member must agree to pay any excess costs associated with the move.

O ABANDONED POVS

If all required notification procedures have been met and the customer has not responded or has signed authorizing disposal, the USTRANSCOM Personal Property Division will proceed with POV abandonment/disposal. Legally declared abandoned POVs will no longer be maintained and may be

removed from the enclosed storage facility (if applicable) to a secured outdoor holding area until the vehicle is disposed of.

P GOVERNMENT ASSISTANCE

Most VPCs have a COR available on site to assist you in the movement and/or storage of your POV. If required, please ask the contractor to be referred to the COR. In those instances where a COR is not available, the member will be put in telephone contact with a COR at another VPC who can assist.

O GLOBAL POV CONTRACTOR WEBSITE

Customers can obtain information online regarding the status of their POVs by visiting http://www.pcsmypov.com/. In addition to the individual locations listed in Paragraph R, customers desiring to make an appointment at a VPC should call 855-389-9499.

This information includes:

- 1. Turning in/picking up a POV
- 2. Shipping/storing services
- 3. VPC locations (CONUS/OCONUS)
- 4. Required documentation
- 5. Frequently asked questions.

R GENERAL VPC INFORMATION

POVs must be turned in and, picked up, at a VPC and will be transported to the Vehicle Storage Facility. VPC locations may be found at https://www.pcsmypov.com/Locations.

1. CONUS Vehicle Processing Center Information:

POV processing hours of operation are **Monday to Friday**, 0800 to 1600. VPCs are closed on weekends and Federal Holidays. It is highly recommended you arrive at the VPC by 1500 hours to ensure processing is completed on time. During inclement weather, a VPC may open later or close earlier than the scheduled time. Call the servicing VPC to confirm hours of operation.

Atlanta 2579 Campbell Boulevard Ellenwood, Georgia 30294 Phone: 404-425-9177 Toll Free: 855-389-9499 E-mail: Atlanta.VPC@ialpov.us	Baltimore 6333 Macaw Court Elkridge, MD 21075 Phone: 667-401-0770 Toll Free: 855-389-9499 E-mail: Baltimore.VPC@ialpov.us
Charleston 3601 Meeting Street Rd North Charleston, SC 29405 Phone: 843-647-6635 Toll Free: 855-389-9499 E-mail: Charleston.VPC@ialpov.us	Dallas 957 Heinz Way Grand Prairie, TX 75051 Phone: 469-203-8629 Toll Free: 855-389-9499 Fax: 972-639-3976 E-mail: Dallas.VPC@ialpov.us
Los Angeles 14611 South Broadway St Gardena, CA 90248 Phone: 424-488-7696 Toll Free: 855-389-9499 Fax: 310-697-4565 E-mail: LosAngeles.VPC@ialpov.us	Norfolk 1215 Executive Blvd Chesapeake, VA 23320 Phone: 757-320-4254 Toll Free: 855-389-9499 E-mail: Norfolk.VPC@ialpov.us

San Diego 11433 Woodside Ave Santee, CA 92071 Phone: 559-483-9955 Toll Free: 855-389-9499 Fax: 619-956-0975 E-mail: SanDiego.VPC@ialpov.us	Seattle 654 Milwaukee Ave N Auburn, WA 98001 Phone: 253-948-3488 Toll Free: 855-389-9499 E-mail: Seattle.VPC@ialpov.us
St. Louis 4236 Crescent Industrial Dr. Pontoon Beach, IL 62040	
Phone: 314-326-4153 Toll Free: 855-389-9499 E-mail: <u>StLouis.VPC@ialpov.us</u>	

2. OCONUS Vehicle Processing Center Information:

POV processing hours vary (see table). OCONUS VPCs are closed on Saturday, Sunday, U.S. Federal Holidays, and Host Nation Holidays. It is highly recommended you call in advance to confirm operating hours and arrive at the VPC by 1500 hours to ensure processing is completed on time.

Alaska – Anchorage *POV Processing Hours 0800–1600. Anchorage Vehicle Processing Center 300 LaTouche St Anchorage, AK 99501 Phone: 907-891-8496 Toll Free: 855-389-9499	Alaska – Fairbanks *POV Processing Hours 0800–1600. Fairbanks Vehicle Processing Center 5250 Airport Industrial Rd Fairbanks, AK 99709 Phone: 907-891-8499 Toll Free: 855-389-9499
Fax: 907-227-1201 E-mail: Anchorage.VPC@ialpov.us	Fax: 907-459-5591 E-mail: <u>Fairbanks.VPC@ialpov.us</u>
Bahrain *POV Processing Hours 0800–1600. Open Sunday through Thursday Closed Friday and Saturday Bahrain Vehicle Processing Center Office 11, Bldg 1988, Road 1527, Block 115 Bahrain Investment Wharf, Hidd Tel: +973-69992417 Fax: +973-69991406 E-mail: Bahrain.vpc@ialpov.us	Belgium – Chievres *POV Processing Hours 0800–1600. Chievres Vehicle Processing Center 80th Asg Chievres Air Base, Building 46 Chievres, Walloon Region, Belgium 7950 Phone: 0032 68 331 980 E-mail: Chievres.vpc@ialpov.us
Benelux Schinnen Netherlands *POV Processing Hours 0800–1600.	Germany – Ansbach *POV Processing Hours 0800–1600.
Schinnen Vehicle Processing Center	Ansbach Vehicle Processing Center
Borgerweg 10 Building 27, Room 102 Schinnen, Netherlands, 6365 CW Phone: 0031-46 443 0732 E-mail: Chievres.vpc@ialpov.us	Meinhardswindener Strasse 25 Barton Barracks; Building 5259 Ansbach, Bavaria, Germany, 91522 Local: 49 981 97781159 Email: Ansbach.VPC@ialpov.us

Germany – Baumholder	Germany - Boeblingen
*POV Processing Hours 0800–1600.	*POV Processing Hours 0800–1600.
Baumholder Vehicle Processing Center	Boeblingen Vehicle Processing Center
Clinic Barracks, Gate 15 on L 169 Street Building 8751 Baumholder, Germany, 55774 Phone: 0049 6783-9008476 E-mail: Baumholder.VPC@ialpov.us	Panzerkaserne Building 2931 Boeblingen, BW, Germany, 71032 Phone: 0049 7031 7334749 E-mail: Boeblingen.VPC@ialpov.us
Germany - Grafenwoehr	Germany - Kaiserslautern
*POV Processing Hours 0800–1600.	*POV Processing Hours 0800–1600.
Grafenwoehr Vehicle Processing Center	Kaiserslautern Vehicle Processing Center
U.S. Grafenwoehr Base 322 Shiloh Avenue Grafenwöhr, BY, Germany, 92655 Phone: 0049 9641 9260061 E-mail: Ansbach.VPC@ialpov.us	Kapaun Air Station Building 2806 Kaiserslautern, RP, Germany, 67661 Phone: 0049 631-35790088 E-mail: Kaiserslautern.vpc@ialpov.us
Germany - Spangdahlem	Germany - Wiesbaden
*POV Processing Hours 0800–1600.	*POV Processing Hours 0800–1600.
Spangdahlem Vehicle Processing Center	Wiesbaden Vehicle Processing Center
Spangdahlem Air Base	Mainz-Kastel Station, Building 4013,
Building 222 Spangdahlem, RP, Germany, 54529 Phone: 0049 6565 9558009	Mainz Kastel, HE, Germany, 55252 Phone: 0049 6134 6019144
E-mail: Spangdahlem.vpc@ialpov.us	Fax: 0049-6134-5679774 E-mail: Wiesbaden.vpc@ialpov.us
Guam	<u>Hawaii</u>
*POV Processing Hours 0800–1600.	*POV Processing Hours 0800–1500.
Guam Vehicle Processing Center	Honolulu Vehicle Processing Center
Naval Activities Branch Building 3179 Santa Rita, GU, Guam 96915 3134 Phone: 671-339-2205 Toll Free: 877-716-7702 Fax: 671-564-2105 E-mail: Guam.VPC@ialpov.us	Honolulu Harbor Pier 1 Fort Armstrong, Forrest Avenue Honolulu, HI 96813 Phone: 808-670-3095 Toll Free: 855-389-9499 Fax: 808-439-6847 E-mail: Honolulu.VPC@ialpov.us
<u>Italy – Aviano</u>	<u>Italy – Livorno</u>
*POV Processing Hours 0800–1600.	*POV Processing Hours 0800–1600.
Aviano Vehicle Processing Center	Livorno Vehicle Processing Center
Via dei Longobardi 49, San Quirino, Italy, 33080 Phone: 0039 0434 -919625 E-mail: <u>Aviano.vpc@ialpov.us</u>	Leghorn Army Depot, Gate 27, Building 5138 Depot Via Aurelia Tombolo Pisa Livorno, Italy, 56128 Phone: 0039 050-989200 E-mail: Livorno.vpc@ialpov.us

<u>Italy – Naples</u>	<u>Italy - Sigonella</u>
*POV Processing Hours 0800-1600.	*POV Processing Hours 0800-1600.
Naples Vehicle Processing Center	Sigonella Vehicle Processing Center
U.S. Navy Support Site	Base Navale USA/NAS II, Building 724,
Building 2081, Contrada Boscariello Gricignano di Aversa, Campania, Italy, 81030 Phone: 0039 081-8116522	Strada Statale 417, Catania-Gela, Piano d' Arci/Signonella, Sicilia(CT), Italy, 95030 Phone: 0039 095-865529
E-mail: Naples.vpc@ialpov.us	Fax: 0039-095-86-5413 E-mail: Sigonella.vpc@ialpov.us
<u>Italy – Vicenza</u>	Puerto Rico
*POV Processing Hours 0800–1600.	*POV Processing Hours 0800–1600
Vicenza Vehicle Processing Center	Rodi Cargo International Group VPC
Via Strada Della Pelose	Lote 26, Calle Campeche, Carolina 00987
Building 928, Entrance 8, Torri di Quartesolo Vizenca, Veneto, Italy, 36040 Phone: 0039 0444-380262 E-mail: Vicenza.vpc@ialpov.us	San Juan, PR, Puerto Rico, 00920 Phone: 939-277-9014 Toll Free: 855-389-9499 Fax: 787-776-9499 E-mail: <u>PuertoRico.VPC@ialpov.us</u>
South Korea - Daegu	South Korea – Pyongtaek
*POV Processing Hours 0800–1600.	*POV Processing Hours 0800–1600.
Daegu Vehicle Processing Center	Pyongtaek Vehicle Processing Center
Area IV Support Activity Daegu Camp Henry, Building 1415 Daegu, South Korea, AP 96218 Phone: 82-53-470-8812 Fax: 82-53-470-8113 E-mail: Daegu.VPC@ialpov.us	Building 7040, Indian Head Avenue 11th Street, Camp Humphrey, Pyongtaek South Korea APO AP 96271 Phone: 82-02-798-7032 Fax: 82-02-798-7033 E-mail: VPC@ialpov.us
Spain	Turkey - Incirlik
*POV Processing Hours 0800–1300/1400–1600.	*POV Processing Hours 0800–1600.
Rota Vehicle Processing Center	Incirlik Vehicle Processing Center
C/Inventor Pedro Cawley 10, Polígono Ind. Las Salinas del Levante El Puerto de Santa María, AL, Spain, 11500 Phone: 34 956 852 034 Toll Free: 900 321 321 E-mail: Rota.vpc@ialpov.us	Delta Shipping and Trading Inc. Co. Yenimahalle 33 Sokak No. 31, Incirlik Adana, Turkey 01340 Phone: 90 322 332 78 50 E-mail: Incirlik.VPC@ialpov.us
Turkey - Izmir	United Kingdom
*POV Processing Hours 0800–1600.	*POV Processing Hours 0800–1600.
Izmir Vehicle Processing Center	Brandon Vehicle Processing Center
Delta Shipping and Trading Inc. Co. Doganlar Mah. 1417 Sokak, Bornova Izmir, Turkey 35040 Phone: 0090 232 479 1929 E-mail: Izmir.vpc@ialpov.us	Field Road, (beside ESSO station) Mildenhall Suffolk, Great Britain, IP28 7AL Phone: 0044 1638 515 714 E-mail: Brandon.vpc@ialpov.us

PAY AD	N	NOTE: If member has been transferred, forward this authorization to the officer currently maintaining the member's pay record.							
MEMBER (Last name,	(First)	(Middle)		SSAN		GRADE/RANK/RAT		BRANCH OF SERVICE	DATE
PAY GRADE NO.	LAST PAY RECORD EXAMINED		AMOUNT	1	APPROP	RIATION DATA			I
FROM					NAME	OF ACCOUNTABLE D.	Ю.		
					SYMBO	DL NO.	G.A.O	. EXCEPTION CODE	
•								YOU ARE HEREBY	AUTHORIZED TO
то						·		CHARGE	E CREDIT
•						•		THE MILITARY PAY	
;		EXPLA	ANATION	AND/OR RE	ASON F	OR ADJUSTMEN	IT		
made or why the adjustment.	nent is based on a thorough e. adjustment should not be mad			this authoriz	ation sho	uld be returned wit	h a bri	ief statement of the reas	
FROM					ERTIFYIN	G OFFICER (Name, rar	nk/grade	e, and signature)	
O I CEDTIEV	and the adjustment indicated = L	ova has b	an aptourd	on the above	namad	ambar's Milana	m, P	and (If adjustment to	not been extend circ
E explanation o	nat the adjustment indicated about the reverse over D.O.'s signatur				-патеа т				not been entered, give
R T I						•	TYPEDI	NAME AND GRADE OF D.O.	
F							D.O. SY	MBOL NO.	DATE
C TO A T						L	SIGNAT	LIDE	
E •						•	JONAT	UNE	
DD FORM 13	9, MAY 53	DITION OF	THIS FOR	M NOT HAVIN	NG SSAN	IS OBSOLETE AFT	ER 30	JUN 69. Form app	roved by Comp. Gen., U.S.

Figure K4-1. DD Form 139, Pay Adjustment Authorization

		PRIVATE VEHI	CLE SHIP	PING D	OCUMENT FO	DR AUT	омові	LE		
	C ID (1-3) TP1	CONTAINER NO. (4-8)	3. CONSIGNO	R (9-14)	4. COMM-EX (15-19)	5. POE /2	1-23)	6. POD (24-26)	7. PACK (28	-29)
8. TRANSPORTATION CO	ONTROL NUMBER	(30-46)	9. CONSIGNE	E (47-52)	10. RDD (54-56)	11. TR AC	COUNT	12. PIECES (68-71)	13. WEIGHT	(72-76)
14. CUBE (77-78) 15. DO	OC ID (1-3) TP8	6. POV YR, MAKE (9-14	YR, MAKE (9-14)			AME (54-6	6)	18. F & MI (67-68)	19. GRADE /	(69-70)
20. STATE (71-72) 21. (LICENSE NUMBER	(73-77)	21. COLOR (78-80)			23. VEHIC	CLE IDENTIFICATION NUMBER			
24. ODOMETER READING 25. VESSEL (Voyage Numb			nber)		26. AUTHORIZATION	CHARGES	PAID, ETC.	27. DATE LOAI	DED (YYYYMM	IDD)
28. STOWAGE LOCATION	N		29. BILLING	ADDRESS F	OR NOTIFICATION PUR	RPOSES				
30. Inspected in m			f. (1) USER CODE		(2) INSPECTION		(3) DAT		OR'S PRINTED	
acknowledged as marked below, and conditions governing shipment on back accepted.			X	agen	in joint inspection - o	owner/				
a. DATE (YYYYMM	וססי		T		sentative use (Optional)					
b. SIGNATURE OF	OWNER OR AGE	NT		(c) POE (check in stow/condit	ion				
c. NAME OF AGEN	T (Last, First, Mi	iddle Initial) (Print)		(d) POD	check in stow/conditions	tion				
d. STREET ADDRES	ss		Ŏ	(e) Relea	se of custody by arge stevedore					
e. CITY, STATE, AN	ND ZIP CODE		*	(f) POD	use (Optional)					
Retain this form fo	<u> </u>								artic ipation	١.
		,	£(***}							
	_			\rightarrow						
					7		$\neg \gamma$			
				9	::::://					
	301-		LEFT SID	E	3//			(O) RIC	SHT SID	E
0	置	(9)			(600/	000				
					BACK		32. ENT	RY NUMBER (US	Customs use	e only)
FRONT										
POV CONDITION CODES	BE - Bent BR - Broken CH - Chipped	CR - Cracked DE - Dent GO - Gouged	M	A - Marre	Ml-Mil d PF-Pai	dewed nt Faded	RU -			
33. INTERIOR CON	IDITION		1 171	G - Missir	ng RS-Ru	sted		Soiled	TO - Torn WO - Badly \	Vorn
b. REAR SEAT c. REAR MIRROR	IDITION		CCESSORIE	s	ng RS - Ru:	LOOSE	so -		WO - Badly \	Worn POD
d. FRONT SEAT BELTS	DITION	a. CA b. SID	CCESSORIES TALYTIC CONV DE MIRRORS	s	ng RS - Ru:	sted	so - 35. PRO	Soiled	WO - Badly \	
		a. CA b. SID c. AN d. FAI	CCESSORIE: TALYTIC CONV DE MIRRORS TENNA N BELT	s	ng RS - Ru:	sted	35. PRO a. ADD/	Soiled CESSING SERVIC	WO - Badly \	
e. REAR SEAT BELTS f. ASH TRAYS		a. CA b. SID c. AN d. FAI e. FEF f. FIR	CCESSORIES TALYTIC CONV DE MIRRORS TENNA N BELT NDER SKIRTS DE EXTINGUISHI	S ERTER/PEL	ng RS - Ru	sted	35. PRO a. ADD/	Soiled CESSING SERVIC DRAIN FUEL JECT/DISCONNECT	WO - Badly \	
e. REAR SEAT BELTS		a. CA b. SIC c. AN d. FAI e. FEP f. FIR	CCESSORIE: TALYTIC CONV E MIRRORS TENNA N BELT NDER SKIRTS SE EXTINGUISHI ST AID KITS SARETTE LIGHT	S ERTER/PEL ER	ng RS - Ru	sted	SO - 35. PRO a. ADD/I b. CONN BATT	Soiled CESSING SERVIC DRAIN FUEL JECT/DISCONNECT	WO - Badly \	
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS	5	a. CA b. SIC c. AN d. FAI e. FEF f. FIF g. FIR h. CIC I. HA	CCESSORIE: TALYTIC CONV E MIRRORS TENNA N BELT NDER SKIRTS E EXTINGUISHI ST AID KITS ARETTE LIGHT ND TOOLS/FLA	S ERTER/PEL ER	ng RS - Ru	sted	so - 35. PRO a. ADD/I b. CONN BATT c. PACK	Soiled CESSING SERVIC DRAIN FUEL JECT/DISCONNECT ERY ACCESSORIES	WO - Badly \	
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS /4 k. CUSHION	5	B. CA b. SIC c. AN d. FAI e. FEF f. FIF g. FIR h. Cic i. HA j. HU k. JA k. JA	CCESSORIE: TALYTIC CONV TEMIRORS TENNA N BELT IDER SKIRTS TE EXTINGUISHI ST AID KITS GARETTE LIGHT ND TOOLS/FLA B CAPS DK/LUG WRENC	S ERTER/PEL ER ER SHLIGHT	ng RS - Ru	sted	SO - 35. PRO a. ADD/I b. CONN BATT	Soiled CESSING SERVIC DRAIN FUEL JECT/DISCONNECT ERY ACCESSORIES	WO - Badly \	
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS [4]	S Additional)	B. CA B. SIC C. AN d. FAI e. FEF f. FIR B. CIC I. HAU k. JAI	CCESSORIE: TALYTIC CONV DE MIRRORS TENNA N BELT NDER SKIRTS DE EXTINGUISHI ST AID KITS SARETTE LIGHT ND TOOLS/FLA B CAPS	S ERTER/PEL ER ER SHLIGHT	ng RS - Ru	sted	so - 35. PRO a. ADD/I b. CONN BATT c. PACK	Soiled CESSING SERVIC DRAIN FUEL JECT/DISCONNECT ERY ACCESSORIES	WO - Badly \	
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS (A k. CUSHION i. UPHOLSTERY m. RADIO (AM, FM, Ta n. CB RADIO	S Additional)	B. CA B. SIE C. AN d. FAI e. FEF f. FIR B. CIC I. HAI j. HU R. JAI I. JU M. LU B. D. CA B.	CCESSORIE: TALYTIC CONV- E MIRRORS TENNA N BELT IDER SKIRTS IE EXTINGUISHI ST AID KITS ARETTE LIGHT ND TOOLS/FLA B CAPS CK/LUG WRENC MPER CABLES GGGE RACK ANKET	S ERTER/PEL ER ER SHLIGHT	IN BOX	sted	so - 35. PRO a. ADD/I b. CONN BATT c. PACK	Soiled CESSING SERVIC DRAIN FUEL JECT/DISCONNECT ERY ACCESSORIES	WO - Badly \	
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS /A k. CUSHION l. UPHOLSTERY m. RADIO (AM, FM, 7a n. CB RADIO o. CARPET p. CLOCK	S Additional)	B. CA B. SIE C. AN d. FAI E. FIE F. F	CCESSORIE: TALYTIC CONV E MIRRORS TENNA N BELT IDER SKIRTS E EXTINGUISHI SARETTE LIGHT B CAPS CELLUS WIENE ECKLUS WIENE MPER CABLES GOAGE RACK ANKET RINING TRIANG	S ERTER/PEL ER ER SHLIGHT CH	IN BOX LETS LE LIGHT	sted	so - 35. PRO a. ADD/I b. CONN BATT c. PACK	Soiled CESSING SERVIC DRAIN FUEL JECT/DISCONNECT ERY ACCESSORIES	WO - Badly \	
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS /A k. CUSHION I. UPHOLSTERY m. RADIO /AM, FM, Ta n. CS RADIO o. CARPET p. CLOCK 36. DOD POV IMP	Additional) ORT CONTRO	B. CA B. SIC C. AN d. FAI C. FAI E. FIR D. CIC F. FIR D. CIC F. FIR F. FIR F. CIC F. FIR F. FIR F. CIC F. FIR F. F	CCESSORIE: TALYTIC CONV E MIRRORS TENNA N BELT IDER SKIRTS E EXTINGUISHI SARETTE LIGHT B CAPS CELLUS WIENE ECKLUS WIENE MPER CABLES GOAGE RACK ANKET RINING TRIANG	S ERTER/PEL ER ER SHLIGHT CH	IN BOX LETS LE LIGHT	sted	so - 35. PRO a. ADD/I b. CONN BATT c. PACK	Soiled CESSING SERVIC DRAIN FUEL JECT/DISCONNECT ERY ACCESSORIES	WO - Badly \	
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS [A K. CUSHION l. UPHOLSTERY m. RADIO (AM, FM, Ta n. CB RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) DOES not have	S Additional) OPE OORT CONTRO COCIBED ABOVE S a manufacturer	B. CA B. SIE C. AN d. FAI C. FAI G. FEF F. FIR H. CIC I. HA J. HU L. J. JU M. LU O. W/ P. SP, L. PROGRAM (X ap) 's label affixed certify	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT IDER SKIRTS IE EXTAID KITS IE EXTAID KITS IS ARETTE LIGHT B CAPS CK/LUG WIRENC MPER CABLES 3GAGE RACK ANKET IRNING TRIANG ARE TIRE Dropriste box Ing its confort	S ERTER/PEL ER ER SHLIGHT CH LLE/TROUB	RS - Ru IN BOX LETS LE LIGHT icicles) th US EPA emission:	LOOSE	sO - 35. PRO a. ADD// b. CONN BATT c. PACK d. OTHE	Soiled CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R	WO - Badly \ E POE	
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS /A k. CUSHION I. UPHOLSTERY m. RADIO /AM, FM, Ta n. CS RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have	ORT CONTRO SCRIBED ABOVE a manufacturer	B. CA B. SIE C. AN d. FAI C. FAI B. CIC B. FIE B. CIC B. HA B. JAI B.	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT JDER SKIRTS E EXTINGUISHI ST AID KITS SARETTE LIGHT ND TOOLS/TOUGHT SCAPS CK/LUG WRENC CK/LUG WRENC CK/LUG WRENC MPER CABLES GOAGE RACK ANKET LRINING TRIANG ARE TIRE Dropriate box ing its conforn pre 75 diesel	S ERTER/PEL ER ER SHLIGHT CH ILE/TROUB	IN BOX LETS LE LIGHT icles) th US EPA emission: por pre 68 gasoline por pre 68 gaso	LOOSE	sO - 35. PRO a. ADD/I b. CONM BATT c. PACK d. OTHE	Soiled CESSING SERVIC DRAIN FUEL JECT/DISCONNECT ERY ACCESSORIES R	WO - Badly \ E POE	
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS // K. CUSHON I. UPHOLSTERY m. RADIO (AM, FM, Ta n. CS RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified i (4) Requires a cat (4) Requires a cat	ORT CONTRO SCRIBED ABOVE a manufacturer as meeting US E alyst and/or ope	B. CA B. SIE C. AN d. FAI E. FIE F. F	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT JDER SKIRTS E EXTINGUISHI ST AID KITS SARETTE LIGHT B CAPS CK/LUG WRENC MFER CABLES GOAGE RACK AMKET LIGHTIANG THE CONTROL TO THE CONTROL TO T	S ERTER/PEL ER ER SHLIGHT CH mance with powered gg a cataloa A emission	RS - Ru IN BOX LETS LE LIGHT icles) th US EPA emission: pro pre 68 gasoline post or was shipped o nes standards (Select)	LOOSE LOOSE standards. standards. standards.	sO - 35. PRO a. ADD/II b. CONN BATT c. PACK d. OTHE	Soiled CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R with US Customs reinot regulated under inch 1976.	WO - Badly \ E POE	POD
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS // K. CUSHON I. UPHOLSTERY m. RADIO (AM, FM, Ta n. CS RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified i (4) Requires a cat (4) Requires a cat	ORT CONTRO SCRIBED ABOVE a manufacturer a manufacturer a manufacturer gs meeting US E alyst and/or ope	a. CA b. SIC c. AM d. FAI d. FAI d. FAI f. FIR h. CIC i. HA j. HU k. JAI m. LU n. BL o. W/P c. W/P d. W	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT JDER SKIRTS E EXTINGUISHI ST AID KITS SARETTE LIGHT B CAPS CK/LUG WRENC MFER CABLES GOAGE RACK AMKET LIGHTIANG THE CONTROL TO THE CONTROL TO T	S ERTER/PEL ER ER SHLIGHT CH mance with powered gg a cataloa A emission	RS - Ru IN BOX LETS LE LIGHT icles) th US EPA emission: pro pre 68 gasoline post or was shipped o nes standards (Select)	LOOSE LOOSE standards. standards. standards.	sO - 35. PRO a. ADD/II b. CONN BATT c. PACK d. OTHE	Soiled CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R with US Customs reinot regulated under inch 1976.	WO - Badly \ E POE	POD
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS /A k. CUSHION i. UPHOLSTERY n. CS RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified i d.) Requires a cat b. IMPORT (If POV X (1) The catalyst was (a) Has been reins (a) Has been reins (a) Rab been reins (a) Has been reins (a) (a) Has been reins (a) (a) Has been reins (a) Has been reins (a) Has been reins	ORT CONTRO CORTECT ABOVE a manufacturer as meeting US E a equipped with removed prior to stalled prior to stalled prior to stalled prior to	B. CA B. SIC C. AN d. FAI C. FAI FIN G. FAI	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT NOER SKIRTS LE EXTINGUISH ST AID KITS SARETTE LIGHT NO TOOLS/FLA B CAPS EXILUS WRENC MPER CABLES GOAGE RACK ANKET RINING TRIANG ARE TIRE Dropriate box Ing its confort pre 75 diesel s without usir p ing of USEP D med US	ER ER ER SHLIGHT SH mance wit powered ng a cataly A emissio o have to	RS - Ru IN BOX LETS LE LIGHT icles) th US EPA emission: pro pre 68 gasoline post or was shipped o nes standards (Select)	LOOSE LOOSE standards. standards. standards.	sO - 35. PRO a. ADD/II b. CONN BATT c. PACK d. OTHE	Soiled CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R with US Customs reinot regulated under inch 1976.	WO - Badly \ E POE	POD
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS /A k. CUSHION i. UPHOLSTERY n. CS RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified i d.) Requires a cat b. IMPORT (If POV X (1) The catalyst was (a) Has been reins (a) Has been reins (a) Rab been reins (a) Has been reins (a) (a) Has been reins (a) (a) Has been reins (a) Has been reins (a) Has been reins	SORT CONTRO CORT CONTRO CORT CONTRO CORT CONTRO CON	B. CA B. SIE C. AM D. SIE C. AM D. SIE C. AM D. FAI D. FEE F. F	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT IDER SKIRTS IE EXTINGUISH SET AID KITS SARETTE LIGHT NO TOOLS/FLA B CAPS CK/LUG WRENC MPER CABLES 3GAGE RACK ANKET TRINING TRIANG ARE TIRE Dropriate box ing its conforr pre 75 diesel s without usir to meat US EP rition 3 may als tallation requirer.	ER ER ER SHLIGHT SH mance wit powered ng a cataly A emissio o have to	RS - Ru IN BOX LETS LE LIGHT icles) th US EPA emission: pro pre 68 gasoline post or was shipped o nes standards (Select)	LOOSE LOOSE standards. standards. standards.	sO - 35. PRO a. ADD/II b. CONN BATT c. PACK d. OTHE	Soiled CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R with US Customs reinot regulated under inch 1976.	WO - Badly \ E POE	POD
e. REAR SEAT BELTS f. ASH TRAYS 9. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS [A] K. CUSHION I. UPHOLSTERY m. RADIO [AM, FM, Ta n. CB RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified (4) Requires a cat b. IMPORT [III POV] (1) The catalyst was (a) Has been reins (b) Will be reinsta (12) The catalyst was (12) The catalyst was (13) In a new catalyst was (14) The catalyst was (15) The catalyst was (16) A new catalyst was (17) The catalyst was (18) The catalyst was (19) The catalyst was	ORT CONTRO CORIBED ABOVE La manufacturer La ma	B. CA B. SIE C. AM d. FAI F. FIE J. FIE B. CIC I. HA I. HU I. JU II. JU III. JU I	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT JOER SKIRTS E EXTINGUISHE ST AID KITS SARETTE LIGHT ST AID KITS B CAPS CK/LUG WRENC MPER CABLES SIGNE TRIANG ARE TIRE Droppiate box ing its confort pre 75 diesel so without usir to meet US EP, tion 3 may als tallation requirer. It: (Proof of ins	ER ER SHUGHT CH mance with powered up a cataly A emission on have to ired.)	IN BOX LETS LE LIGHT iccles) th US EPA emission to post or was shipped o ons standards (Select be marked.)	LOOSE LOOSE standards. standards. overseas p. t appropria	sO - 35. PRO a. ADD/II b. CONN BATT c. PACK d. OTHE	Soiled CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R with US Customs reinot regulated under inch 1976.	WO - Badly \ E POE	POD
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. REAR SPEAKERS /A k. CUSHION i. UPHOLSTERY m. RADIO (AM, FM, Ta n. CB RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified (4) Requires a cat b. IMPORT (If POV is (1) The catalyst was (a) Has been reins (b) Will be reinsta (c) The catalyst was (a) A new catalys (b) A new catalys (b) A new catalys (c) The catalyst was (d) A new catalys (d) A new catalys (d) The catalyst was (e) A new catalys (d) The catalyst was (e) DA new catalys (d) A new catalys (d) The catalyst was (e) DA new catalys (d) The POV requires	ORT CONTRO SCRIBED ABOVE a manufacturer a manufacturer a manufacturer be alyst and/or ope sequipped with removed prior to stalled prior to st lled in accordan not removed prior t has been insta t is accompany an oxygen sens	B. CA B. SIN C. AM D. SIN C. AM D. SIN C. AM D. SIN C. AM D. SIN	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT JOER SKIRTS LE EXTINGUISHI ST AID KITS SARETTE LIGHT NO TOOLS/FLA B CAPS CK/LUG WRENC MPER CABLES GGAGE RACK ANKET ARNING TRIANG ARE TIRE Dropriate box ling its conforr pre 75 diesel s without usir o meet US EP. tion 3 may als tallation requirer it: (Proof of ins lbe installed i	ERTER/PEL ER SHUGHT CH ILLE/TROUB for all veh mance wit powered gg a cataly A emissio o have to red.) tallation r n accorda	IN BOX IN BOX LETS LE LIGHT incles) th US EPA emission or pre 68 gasoline poyst or was shipped on saturdards (Select be marked.) equired.) noe with the EPA W	LOOSE LOOSE standards. standards. overseas p. t appropria	sO - 35. PRO a. ADD/II b. CONN BATT c. PACK d. OTHE	Soiled CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R with US Customs reinot regulated under inch 1976.	WO - Badly \ E POE	POD
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS [A K. CUSHION I. UPHOLSTERY m. RADIO [AM, FM, Ta n. CB RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified (4) Requires a cat b. IMPORT [If POV is (1) The catalyst was (a) Has been reins (b) Will be reinsta (2) The catalyst was (a) A new catalys (b) A new catalys (b) A new catalys (a) This POV requires (a) An operable st	SORT CONTRO CONTRO CONTRO CONTRO E a manufacturer a manufacturer as meeting US E alyst and/or ope a equipped with the coordan not removed prior to thas been insta t is accompanyi an oxygen sens snor has been in	B. CA B. SIE C. AN G. FAI G. F	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT IDER SKIRTS IE EXTINGUISH SIGNET	ER ER SHUGHT SH Mance with powered mance with powered mance of a direct of tall and a direct of tall and a direct of tall at lation in accordal and a direct of installation in finstallation.	IN BOX IN BOX	LOOSE LOOSE standards, bwered verseas proprise approprise	sO - 35. PRO a. ADD/II b. CONN BATT c. PACK d. OTHE	Soiled CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R with US Customs reinot regulated under inch 1976.	WO - Badly \ E POE	POD
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS [A K. CUSHION l. UPHOLSTERY m. RADIO [AM, FM, Ta n. CB RADIO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (2) Does not have (3) Was certified (4) Requires a cat b. IMPORT [If POV] (1) The catalyst was (a) Has been reins (b) Will be reinsta (c) The catalyst was (a) Han Des (c) Was (b) A new catalys (b) A new catalys (c) This POV requires (d) An operable st (b) An operable st (b) An operable st (d) No replacemen	SORT CONTRO CONTRO CONTRO CONTRO De a manufacturer a manufacturer as meeting US E alyst and/or ope s equipped with titalled prior to slilled in accordan not removed prior to tass been instat t is accompanyi an oxygen sens ansor has been i ensor is accomp	B. CA B. SIE C. AM C. AM B. SIE C. AM C. AM B. SIE C. AM C. A	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT IDER SKIRTS IE EXTINGUISH SET AID KITS SARETTE LIGHT NO TOOLS/FLA B CAPS CK/LUG WRENC MPER CABLES 3GAGE RACK ANKET TRINING TRIANG ARE TIRE Dropriate box sing its confort pre 75 diesel swithout usir to meat US EP rion 3 may als tallation requi er. If (Proof of ins Ib e installed i missions stand ent. (Proof of Ins I will be installed in insor is accomp	ER ER SHLIGHT SH SHLIGHT SH SHLIGHT SH SHLIGHT IN	IN BOX IN BOX	standards owered verseas propries appropries	sO - 35. PRO a. ADD/I b. CONM BATT c. PACK d. OTHE	CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R with US Customs reinot regulated under in 1976. under Import or Expension ith US Customs pricitith US Customs pri	WO - Badly \ E POE paulred.) r CAA. ort sections.)	POD
e. REAR SEAT BELTS f. ASH TRAYS g. FLOOR MATS h. DOOR PANELS i. ARM RESTS j. REAR SPEAKERS /A k. CUSHION i. UPHOLSTERY n. CS RADDO o. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified (4) Requires a cat b. IMPORT (If POV X (1) The catalyst was (a) Has been reins (b) Will be reinsta (c) The catalyst was (a) A new catalys (b) A new catalys (c) A new catalys (d) A new catalys (e) A new catalys (e) A new catalys (f) A new catalys (f) A new catalys (h) A new catalys (d) A new catalys (e) A new catalys (f) A new catalys (f) A new catalys (f) A new catalys (h) A new catalys (f) A new catalys (h) A new cat	ORT CONTRO CORTECT ABOVE a manufacturer as meeting US a equipped with memoved prior to stelled prior to st illed in accordan- tot removed prior t has been insta t is accompany an oxygen sens ensor has been i ensor is accomp th catalyst and/c tof Entry, excep	B. CA B. SIE C. AN G. FAI G. F	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT NOER SKIRTS LIGHT NOTOLS/FLA B CAPS CK/LUG WRENC MPER CABLES GGAGE RACK ANKET INGING THANG ARE TIRE Dropriate box Ingits confort pre 75 diesel s without usin to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to ing its confort pre 75 diesel s without to	ER ER SHLIGHT SH SHLIGHT SH SHLIGHT SH SHLIGHT IN	IN BOX IN BOX	standards owered verseas propries appropries	sO - 35. PRO a. ADD/I b. CONM BATT c. PACK d. OTHE	CESSING SERVICE DRAIN FUEL SECT/DISCONNECT ERY ACCESSORIES R with US Customs reinot regulated under in 1976. under Import or Expension ith US Customs pricitith US Customs pri	WO - Badly \ E POE paulred.) r CAA. ort sections.)	POD
e. REAR SEAT BELTS f. ASH TRAYS 9. FLOOR MATS h. DOOR PANELS I. ARM RESTS j. REAR SPEAKERS /A K. CUSHION I. UPHOLSTERY m. RADIO (AM, FM, Ta n. CB RADIO O. CARPET P. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified (4) Requires a cat b. IMPORT (IP POV is (1) The catalyst was (a) Has been reins (b) Will be reinsta (2) The catalyst was (a) An operable st (b) A new catalys (b) A new catalys (c) A noperable st (d) No replacement at the US Port C. EXPORT (If POV is (1) Catalyst	CORT CONTRO CON	B. CA B. SIE C. AN d. FAI C. E. FIE F. F	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT JOER SKIRTS E EXTINGUISHI ST AID KITS SARETTE LIGHT ST AID KITS B CAPS CK/LUG WRENC MPER CABLES GOAGE RACK ANKET CONFINENT FILME ST AID KITS SIGNET FILME ST AID KITS SIGNET FILME ST AID KITS SIGNET FILME SIGNET FILME ST AID KITS SIGNET FILME ST AID KITS SIGNET FILME ST AID KITS SIGNET FILME SIG	ER ER SHUGHT CH CH CH CH CH CH CH CH CH	IN BOX IN BOX	standards sowered ve verseas propries appropries appropries prior to to soline.	sO - 35. PRO a. ADD/II b. CONM BATT c. PACK d. OTHE	CESSING SERVICE DRAIN FUEL DECT/DISCONNECT ERY ACCESSORIES R with US Customs re not regulated under troth 1976. under Import or Expension ith US Customs price of the vehicle.	WO - Badly \ E POE paquired.) r CAA. port sections.)	POD
e. REAR SEAT BELTS f. ASH TRAYS 9. FLOOR MATS h. DOOR PANELS I. ARM RESTS j. REAR SPEAKERS /A K. CUSHION I. UPHOLSTERY m. RADIO (AM, FM, Ta n. CB RADIO O. CARPET p. CLOCK 36. DOD POV IMP a. THE VEHICLE DES (1) Does not have (2) Does not have (3) Was certified (4) Requires a cat b. IMPORT (IP POV X (1) The catalyst was (a) Has been reins (b) Will be reinsta (b) Will be reinsta (a) An operable si (a) An operable si (b) A new catalys (c) The Catalyst (d) Catalyst (1) Catalyst (1) Catalyst (2) Catalyst (2) Catalyst (3) Catalyst	CORT CONTRO	B. CA B. SIE C. AM C	CCESSORIE TALYTIC CONV E MIRRORS TENNA N BELT JOER SKIRTS E EXTINGUISHI ST AID KITS SARETTE LIGHT ST AID KITS B CAPS CK/LUG WRENC MPER CABLES CAPS CK/LUG WRENC MPER CABLES GAGE RACK ANKET LIGHT LIGHT ST GIGSE IN GROWN MPER CABLES S WITHOUT LIGHT IN GROWN	ER ER SHUGHT SHUGHT THE SHUG	IN BOX IN BOX	standards. standards. swered veverseas prapproprie	sO - 35. PRO a. ADD/II b. CONM BATT c. PACK d. OTHE	CESSING SERVICE DRAIN FUEL DECT/DISCONNECT ERY ACCESSORIES R with US Customs research 1976, under Import or Expension the vehicle.	WO - Badly \ E POE paguired.) r CAA. ort sections.)	POD

Figure K4-2. DD Form 788, Private Vehicle Shipping Document for Automobile

CONDITIONS GOV	ERNING SHIPMENT
	ICLE WILL BE TRANSPORTED OVERSEAS AS SET FORTH IN EXISTING
REGULATION, i.e.: 1. That only one (1) privately-owned vehicle is being transported overseas under permanent change of station orders for the owner and/or his family as personal property, and that it is free of any legal encumbrance that would preclude its shipment and is not intended for resale. Owner must also retain a second (extra) set of keys. 2. That this vehicle contains no personal property in excess of that authorized in regulations of the Service concerned. I further understand that personal property shipped will only include those items that can fit in the container normally provided for vehicular tools and accessories. (3) That no land transportation is authorized at Government expense except as specified in Section 12 of the Missing Persons Act, as amended, and 10 USC Section 2634(a).	(4) That failure of the owner to provide sufficient permanent type antifreeze to protect the cooling system to minus 20 degrees F (or lower if determined to be necessary by the shipping port) relieves the Government of any liability for damage due to freezing. THIS CERTIFICATE constitutes authority for the placing in available storage chosen by the port, at the complete expense of the owner and at no cost whatsoever to the Government, the vehicle herein property of above named owner, (1) by the port of embarkation in the event that shipment of privately-owned vehicles therefrom is suspended or terminated because of a national emergency, and (2) by the port of debarkation in the event that the automobile is not picked up by the owner or his agent within forty-five (45) days after dispatch of the notification of its arrival. I further understand that should the vehicle be placed in such storage, the Government, thenceforth, would not be responsible for its release or return to the owner or agent.
37. DELIVERY RECEIPT	
a. EXCEPTIONS	
(1) BY OWNER	(2) VERIFICATION OR DISAGREEMENT WITH REASONS
b. TERMINAL SERVICE - PICKUP (X as applicable. If unsatisfactory, specify.)	SATISFACTORY
38. MISCELLANEOUS INFORMATION	
39. I HEREBY ACKNOWLEDGE RECEIPT OF MY VEHICLE IN THE CON	
REPRESENTATIVE FOR TRANSSHIPMENT, EXCEPT AS NOTED A	
a. SIGNATURE OF OWNER OR AGENT	b. DATE (YYYYMMDD)
40. SIGNATURE OF VERIFYING U.S. GOVERNMENT REPRESENTATIV	41. NAME OF PORT
DD FORM 788 (BACK), SEP 1998	

Figure K4-2. DD Form 788, Private Vehicle Shipping Document for Automobile (Cont'd)

US CUSTOMS AND BORDER PROTECTION (CBP) DECLARATION FOR PERSONAL PROPERTY SHIPMENTS	in CBP DECLARATION NUMBER rison inal			
DATA	REQUIRED BY TH	E PRIVACY ACT OF 1	974	
AUTHORITY: 19 U.S.C. 1498. PRINCIPAL PURPOSE(S): To declare shipments of household Section A - Owner CSP declaration for type of shipment and res. ROUTINE USE(S): (1) Use of your Social Security Number is prosecution if contraband or undeclared articles, for which CSP has been properly processed. Copy will be destroyed when no DISCLOSURE: Voluntary; however, failure to provide your SSN identification.	ason for shipment. Se proof of identification the fees are due, are four longer required.	ction B - Overseas Port sh ast person processing thro ad in shipment. (2) Origin	nipment data. sugh CBP is not an transportation office	Impostor and also assists in criminal er retains a copy as proof that shipment
PART I - HOUSEHOLD GOODS,	, UNACCOMPANIE	D BAGGAGE, AND PR	NATELY OWN	ED VEHICLES
1. TO: (Overseas POE/APOE)		2. FROM: (Transportation	on Officer)	
SECTION A - C	WNER'S CBP DEC	LARATION (Attach co	ov of orders)	
3. NAME (Lest, First, Middle Initial) (Print or type)			4. GRADE	5. SOCIAL SECURITY NUMBER
6. UNIT ADDRESS OVERSEAS (Include APO number)		7. ADDRESS IN UNIT		
o. Other policies of the control of			es ourito jui	and an every
HOUSEHOLD GOODS 9. I DECLARE THAT: (1) All items in this shipment to the Uthave been residing with me; (2) The shipment contains no prohunder the law and regulations thereunder are listed and identifiations not entitled to tree entry) or if there are none, I have writte states as an accommodation for others or for sale, barter, or ex (6) Total quantities of alcohol beverages and cigars included in Cigars (State number); and (7) I have been serving	inited States consist on sibited items; (3) Any are ed as such in the rema en the words "No Exce schange; (5) This decla this and other sets of (ticles which are (a) Restricts space below (with the ptions," in that space; (4) I ration is made for me and CBP declaration forms: Ak	rmy personal use o cted or (b) in exces cost or fair value, if None of the items a for (State number) cohol beverages (S	is of the quantities entitled to free entry f not obtained by purchase, given for are to be taken or shipped to the United members of my family; little number) ;
Assigned to permanent duty overseas.				
 Required to perform temporary duty overseas for 140 				
Assigned to temporary duty overseas under orders with Directed from one overseas duty station to another overseas.				d States has been anamied
as indicated in supplemental instructions to orders.	versees doly station at	a recent of thy personal pr	roporty to the Office	o cance has been approved
e. Directed to evacuate myself, family, or personal propo	erty to the United State	s.		
f. Directed to ship personal property in advance of the is	ssuance of travel order	s.		
10. THE STATEMENTS ABOVE ARE MADE WITH FUI PART V AND OVERSEAS INSTRUCTIONS.	LL KNOWLEDGE O	F THE APPLICABLE	PROVISIONS O	F DOD REGULATION 4500.9-R
a. SIGNATURE OF OWNER			, t	o. DATE (YYYYMMDD)
11. REMARKS			12. FOR USE	OF US CBP OFFICERS
* 10				
	ION B - OVERSEAS	PORT SHIPMENT DA		
13. NAME OF CARRIER			1	14. VOYAGE OR FLIGHT NO.

Figure K4-3. DD Form 1252, US Customs and Border Protection (CBP)
Declaration for Personal Property Shipments

of Tr Nati Traf	anaportunori	— DECLARA nportation of Motor Vehicles and deral Motor Vehicle Safety, Bu	d Mo	tor Vehicle Equipment Subjec		
POI	RT OF ENTRY	CUSTOMS PORT CODE	cus	TOMS ENTRY NO	ENTRY DATE	
MA	KE OF VEHICLE	MODEL	YEA	R VEHICLE IDENTIFICATION NUI	MBER (VIN)	
REG	GISTERED IMPORTER NAME AND NHT	SA REGISTRATION NUMBER (Required when	Вох 3	is checked)	VEHICLE ELIGIBILITY NO.(Box 3)	
DES	SCRIPTION OF MERCHANDISE IF MOTO	R VEHICLE EQUIPMENT				
3 1.	applicable Federal Motor Vehicle Safety Stands		□7.	The vehicle or equipment does not conform to all Bumper Standards, but is being imported solely fi demonstrations or training, or competitive racing	or the purpose of research, investigations, events, and I state that I will comply with the	
2A.	The vehicle or equipment item conforms to all a	[591.5(i)] applicable Federal Motor Vehicle Safety Standards		applicable restrictions on importers of such mercl provide the Administrator with documentary proo- following the end of the period for which the vehic	f of export or destruction not later than 30 days	
2B.	attached to it before it is offered for sale to the attached), and Bumper and Theft Prevention SI effect permanently affixed by the original manu to the equipment item or to its delivery contains Traffic Safety Administration (NHTSA) regulation	se readily attachable equipment items that will be first purchaser for purposes other than reasle are not tandards, and bears a certification label or tag to that facturer to the vehicle or affixed by the manufacturer ir in accordance with applicable National Highway ins [591.5(b)]; turer as conforming to all applicable Canadian motor		Vehicle Safety Standards (FMVSS). Use on th [591.6(f)(1) or (2)].	certified to conform to all applicable Federal M e public roads must be authorized specifically.	
	vehicle safety standards and its original manufa applicable U.S. Federal Motor Vehicle Safety, E conforms to all such standards except for the la or 120, and/or the specifications of Standard No	acturer confirms that the vehicle conforms to all sumper, and Thet Prevention Standards (or that it beling requirements of Standards Nos. 101 and 110 b. 105 relating to daylime running lamps), and the d salvage motor vehicle, or a reconstructed motor (591.5(g));		b. Importer's statement describing the use to be made of the vehicle or equipment item if it importer is an original manufacture or findor vehicles (or a wholly owned subsidiary the are certified to conform to all applicable FMVSS. If use on the public roads is an integral the purpose for which the vehicle or equipment item is imported, the statement shall despurpose that makes such use necessary, state the estimated period of time during which the vehicle or equipment them on the public roads is necessary, and state the interded of final disposition (and disposition for the vehicle or equipment term after completion purpose for which is imposted (501 eXf).		
3.	The vehicle does not conform to all applicable F but does conform to applicable Federal Theft P because NHTSA has determined that the mode eligible for importation into the United States, a	Federal Motor Vehicle Safety and Bumper Standards, revention Standards, but I am eligible to import it I and model year of the vehicle to be imported is not the vehicle is not a salvage motor vehicle or a	□8.	The vehicle was not manufactured primarily for us vehicle subject to the Federal Motor Vehicle Safe equipment item is not a system, part, or compone motor vehicle equipment subject to the Federal M	ty, Bumper, and Theft Prevention Standards or ent of a motor vehicle and thus is not an item of lotor Vehicle Safety Standards. [591.5(a)]	
	an amount equal to 150 percent of the entered of the Treasury. If the Administrator of NHTSA conformity with all such standards within 120 d.	econstructed motor vehicle, and I have furnished a bond, which is attached to this declaration, in a mount equal to 150 percent of the entered value of the vehicle as determined bythe Secretary of the Treasury. If the Administrator of NHTSA determines that the vehicle has not been brought into conformity with all such standards within 120 days after importation, then I state that I will deliver		Attachment: Importer's statement substantiating the public roads, other than the equipment item w is not an item of motor vehicle equipment. [591.6]	as not manufactured for use on a motor vehicle (a)]	
	such vehicle to the Secretary of Homeland Security for export, or abandon it to the United States (561.8) and that a. I have registered with NHTSA pursuant to 49 CFR Part 592 and such registration is not suspended and has not been revoked, or such as the such part of the such		□9.	The vehicle or equipment item requires further munction, other that the addition of readily attachs and rim assemblies, or minor finishing operations is required to be marked by the Theft Prevenstandard. [991.5(e)]	ble equipment items such as mirrors, wipers, o such as painting, and any part of such vehicle	
				Attachment: For a vehicle, a copy of the Incom vehicle manufacturer, providing guidance on con applicable Federal Motor Vehicle Safety Standard	npleting the vehicle so that it conforms to all ds (FMVSS). For an equipment item, a statem	
	Attachments: Copy of DOT Bond; and Copy of Contract with a Regis			issued by the item's manufacturer identifying the applicable FMVSS to which, the item does reconform and describing the further manufacturing required for the item to perform its intender function. [591.6(b)].		
4.	and Theft Prevention Standards, but is intended	all applicable Federal Motor Vehicle Safety, Bumper d solely for export and is labeled for export on the ny container of the vehicle or equipment item bears		The vehicle does not conform to all applicable Fe but is being imported solely for the purpose of sh all applicable restrictions on importers of such ve	ow and display, and I state that I will comply wit	
5.	and Theft Prevention Standards, but I am eligib	all applicable Federal Motor Vehicle Safety, Bumper le to import it because all of the following conditions		Attachment: Copy of NHTSA Permission Letter:		
	exist: a. I am a nonresident of the United States and United States;	the vehicle is registered in a country other than the		The equipment item is subject to the Theft Prever the requirements of 49 CFR Part 541. [591.5(k)]	ntion Standard and is marked in accordance wi	
	 I am temporarily importing the vehicle for pe not sell if during that time; and 	rsonal use for a period not to exceed 1 year, and will r after entry, and the declaration contains my passport		The vehicle does not conform to all applicable Fer Prevention Standards, but I am eligible to import a. I am a member of the armed forces of a foreign b. I am importing the vehicle on a temporary basis c. I will not sell the vehicle to any person in the Ur	it because all of the following conditions exist: country on assignment in the United States; and for my personal use;	
3 6.	The vehicle does not conform to all applicable I	ry of Issue Federal Motor Vehicle Safety, Bumper, and Theft		a vehicle under this paragraph; d. I will export the vehicle upon departing the Unit e. I have attached a copy of my official orders. [58	ed States at the conclusion of my tour of duty, 91.5(h)[2]]	
		rt it because all of the following conditions exist:		Attachment: Copy of Official Orders.		
	 a. I am a member of a foreign government on assignment in the United States, or a member of the Severtaint of a public international organization so designated under the International Organizations of the Control of th			The vehicle does not conform to all applicable Fe but does conform to applicable Fe deed Theft Free because I am registered with NHTSA pursuar suspensed and has not been revoked. I have info petitioned, that agency to decide that the vehicle NHTSA has granted me permission in writing to in NHTSA has granted me permission in writing to it with TSA has granted me permission in writing to it with TSA has granted me permission in writing to it of orinty, then I state that I will deliver such vehicle Homeland Security for export, or abandon it to the dismissal, denial, or withdrawal of my petition, as entry if I fall to submit a petition covering the petition, then I state that I will detail to submit a petition covering the petition, then I state that within I days from the vehicles.	wention Standards, and I am eligible to import it to 40 CFR part 592 and such registration immed NHTSA that I intend to petition, or I have to be imported is eligible for importation, and most the vehicle for that purpose. If the Adminiat the vehicle is ont eligible for importation, or overing the vehicle within 180 days from the de tower the vehicle within 180 days from the destroyed, to the Secretary of Sunited States, within 30 days from the date or appropriate, or within 210 days from the date or suppropriate, or within 210 days from the date or vehicle. If the Administrator of NHTSA graf able that I am notified of that decision, I will furnished to the decision, I will furnished.	
	Attachment: Copy of Official Orders.			a bond, in an amount equal to 150 percent of the Scoretary of the Treasury, unless the vehicle is de conformity with all applicable Federal Motor Vehi from the date the petition is granted, or will delive for export, or abandon it to the United States. Iff NHTSA with documentary proof of that destructio Attachment: Copy of NHTSA permission letter;	estroyed, to ensure that I will bring the vehicle i de Safety and Bumper standards within 120 di r the vehicle to the Secretary of Homeland Sec ie vehicle is destroyed, then I state that I will fu	
N.A	AME OF IMPORTER (Please type)			ORTER'S ADDRESS (Street City State Zin)	Code)	
15.70	AME OF DECLARANT (Please type)		12.55	LARANT'S ADDRESS	5555V-1	
DE	ECLARANT'S CAPACITY		DEC	LARANT'S SIGNATURE	DATE SIGNED	

PAPERWORK REDUCTION ACT STATEMENT: A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with, a collection of information subject to the requirements of the Poperwork Reduction Act urters that collection of information displays a current valid ONB Control Number. The ONB Control Number for this information collection is 2727-0002. The information collected on this form is necessary to import a motor vehicle equipment into the United Six. We estimate that it will take approximately 5 minutes to complete the form. The information collected is manufactory under 49 CFR 591.5. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden to Information Collection Clearance Officer, National Highway Traffic Safety Administration (120 New Jersey Act, S.E., Room WHS-25C, Wealthington, D.C., 20590. OVER

Figure K4-4. DOT Form HS-7, Importation of Motor Vehicles and Motor Vehicle Equipment Subject to Federal Motor Vehicle Safety, Bumper and Theft Prevention Standards

Form Approved OMB 2060-0095

ŞEPA

United States Environmental Protection Agency Declaration Form


Importation of Motor Vehicles and Motor Vehicle Engines Subject to Federal Air Pollution Regulations U.S. E.P.A., Compliance Division, 2000 Traverwood Drive, Ann Arbor, MI 48105 www.epa.gov/otaq/imports Phone (734) 214-4100 Fax (734) 214-4876

This form must be submitted to the U.S. Customs and Border Protection (Customs) (42 USC 7522, 7601: 19 CFR 12.73) for each motor vehicle (including motorcycles, disassembled vehicles, kit cars, light-duty vehicle/motorcycle engines) imported into the U.S., except that this form is not required for motor vehicles that are imported by their original manufacturer and are new and are covered by an EPA certificate of conformity and bear an EPA emission control label. One form per shipment may be used, with attachments including all information required to fully describe each vehicle or engine as below. Check the box below indicating the provisions under which you are importing this vehicle or engine. Offroad vehicles/engines and heavy-duty engines must use form 3520-21. Note: Although only imports using codes G, I, K, L, M-3, and O require specific written authorization from EPA, Customs may request EPA review of importer documentation and eligibility for any import using this form. A nonconforming vehicle that is ineligible for the exemptions or exclusions listed below, must be imported through an independent commercial importer (ICI) under codes A, C, J, or Z. For codes A, C, J, and Z, EPA does not authorize the release to the vehicle owner.

Penalties: Any person who knowingly makes any false or fraudulent statement, or omits or conceals a material fact can be fined up to \$250,000 or imprisoned for up to 5 years, or both (18 USC 1001). Any person who improperly imports a motor vehicle (including a motorcycle) or engine may be fined up to \$32,500 per vehicle or engine (42 USC 7524), and may be subject to forfeiture of the entire importation bond, if applicable (40 CFR 85.1513), and the U.S.Customs Service may seize the vehicle or engine (19 CFR 162.21).

Descrip	tion and Dec	larati	on of Motor Vehicle or	Motor Vehicl	e Engine (Note	: Heavy-duty Engines must use form 3520-21)
1. Port code:	2. Entry date (mm/dd/yyyy		3. Customs entry number:		Vehicle Identification Number (VIN), or engine serial number:		
5. Manufacture date (mm/yyyy): 6. Manu			6. Manufacture (make):		7. Model:		
8. ICI imports only, codes A, C, J, Z:					9. EPA Exemption	on Number, required for codes L, G, I, K, O:	
information,or for	concealing a n	nateria	I fact. The information I h	oose of this form ave provided is	m, the penalties for correct, and all r	Relevant Parties or falsely declaring information, or for providing mis required attachments are appended to this form. I a I the owner, importer, or agent for the owner or imp	uthorize
10. Importer (code B: must be certificate holder or their agent for shipments of new vehicles prior to introduction		11. Ov	vner.	12. Storage α	ontact:	13. Signature:	
into commerce; co J. Z: must be ICI):						14. Date:	
						15. Name, company and phone (type or print):	
			U.S. cor	nforming and	l "identical" veh	nicles	
code B - U.S in English.	. certified - (unmo	dified vehicle bearing a	U.S. EPA er	mission control	label in engine compartment (or on motorcycl	le frame)
restrictor were ren or replaced after i unleaded gasoline	noved or dama mportation. If I e, (2) the catal	aged. T leaded yst and	he importer attests that the gasoline was used, the industrial doxygen sensors, if they	he catalyst and mporter attests were left on the	l oxygen sensors s that after import e vehicle during u	sept that the catalyst, oxygen sensors or fuel filler n and fuel filler neck restrictor, as applicable, will be n ation (1) the fuel tank will be drained and refilled w isse of the leaded gasoline, will be replaced, and (3) juired.	e-installed ith
filler neck restrictor will be checked and replaced as necessary. No bond or EPA approval is required. code EE - identical in all material respects to a U.S. certified version - either 1) Canadian vehicle (proof required e.g. Canadian emission control label, registration or title, or letter from the U.S. or Canadian manufacturer representative on letterhead verifying manufacturer for sale in Canada) on EPA list of Canadian "identical" models, or 2) vehicle from any country with letter attached to this form from the manufacturer's U.S. representative on letterhead (not a dealer or mechanic) stating that the vehicle is identical to a U.S. EPA certified version with respect to emissions. The importer attests that vehicle is being imported for purposes other than resale or lease. For import of "identical" Canadian vehicles for resale, use code FF.						on EPA n let-	
code FF - Canadian "identical" models imported for resale or lease - "identical" models, imported for resale or lease. The importer attests that the specified by EPA.							
				EPA exemp			
ing to the U.S. or vinheritance, or 3)	will reside in th EPA hardship	ne Ü.S. letter b	for greater than one year based on unforseen and e	r under a work extraordinary c	er or student visa iroumstanoes is a		through
either exempted o	r excluded fro	m EPA	emission requirements,	depending on	age. Vehicles at l	importation) and in original unmodified configurati east 21 years old with replacement engines are no require proof of vehicle age.	on is it eligible
EPA Form 3520-1 ((Rev. 1-14) Pr	evious	editions are obsolete			F	Page 1 of 2

Figure K4-5. EPA Form 3520-1, Importation of Motor Vehicles and **Motor Vehicle Engines Subject to Federal Air Pollution Regulations**



United States Environmental Protection Agency

Excluded vehicles

code L - racing vehicle as determined by EPA and may not be registered or licensed for use on or operated on public roads or highways (40 CFR 85.1511(e)). EPA letter of approval must be attached to this form.

code U -2005 model year (or older) motorcycle, scooter or moped with engine displacement less than 50cc and with rated speed greater than 5000 rpm.

code W - non-chassis-mounted engine to be used in a light-duty vehicle or light-duty truck or motorcycle which is currently covered by an EPA certificate or will be covered by an EPA certificate prior to introduction into commerce.

code Y - unregulated fuel - a vehicle that: (1) for model years earlier than 1991 operates on fuel other than gasoline or diesel fuel, or (2) for 1991- 1996 model years operates on fuel other than gasoline or diesel or methanol fuel, or (3) for 1997 and later model years operates on fuel other than gasoline or diesel or methanol or exhanol or compressed natural gas (CNG) or liquid petroleum gas (LPG), including propane. This exemption does not apply to 2004 and later model year vehicles.

Temporary imports

code G - imported for repair or alteration in accordance with 40 CFR 85.1511(b)(1). May not be registered or licensed for use on, or operated on public roads or highways, or sold or leased in the U.S. Customs bond required. EPA requests that the vehicle be bonded for at least its full value. EPA letter of approval must be attached to this form.

code I - imported for testing purposes in accordance with 40 CFR 85.1511(b)(2). May not be registered or licensed for use on or operated on public roads or highways (except operation that is integral to the purpose of the testing program) or sold or leased in the U.S. Customs bond required. EPA requests that the vehicle be bonded for at least its full value. EPA letter of approval must be attached to this form.

code K - imported for display (solely for public or business purposes, and not for private purposes or U.S. market sales promotions) in accordance with 40 CFR 85.1511(b)(4). May not be registered or licensed for use on or operated on public roads or highways (except operation that is integral to the purpose of the display) or sold or leased in the U.S. Customs bond required. EPA requests that the vehicle be bonded for at least its full value. EPA letter of approval must be attached to this form.

code N - imported for up to one year by member of the armed forces or personnel of a foreign government on assignment to the U.S., for whom free entry has been authorized in writing by the U.S. Department of State, or a member of the armed forces of a foreign country with official orders for duty in the U.S.

code O - imported by nonresident for personal use by an individual for a period up to a year. EPA letter of approval must be attached to this form.

Independent commercial importer (ICI) imports

code A - imported by an ICI for modifications in accordance with a valid EPA certificate of conformity issued for the specific make, model, and model year in accordance with 40 CFR 85.1505.

code C - imported by an ICI for modification and testing in accordance with 40 CFR 85.1509. Vehicle must be at least 6 years old.

code J - imported by an ICI for the purpose of pre-certification testing in order to obtain an EPA certificate of conformity. No EPA approval is required.

The ICI has 180 days to obtain a certificate or export (40 CFR 85.1511(b)(3)). Customs bond required.

code Z - imported by an ICI for the purpose of modifying to be identical to an original equipment manufacturer (OEM) certified version in accordance with written instructions from the OEM that are specific to the vehicle being imported.

OEM imports

code H - imported, owned, and controlled directly by an original equipment manufacturer (OEM) on EPA list of OEM certificate holders provided to Customs, for research, development or testing purposes in accordance with 40 CFR 85.1708. This is a temporary exemption without time limit. If the vehicle is subsequently covered by an applicable EPA certificate of conformity, it is released from the restrictions of this exemption.

code Q - imported, owned, and controlled directly by an original equipment manufacturer (OEM) on EPA list of OEM certificate holders provided to Customs, for storage pending receipt of the applicable EPA certificate of conformity, which is pending and imminent. Use of this code is no longer permitted once EPA has issued the applicable certificate of conformity.

U.S. Department of Transportation Requirements

Note: Importers of vehicles that are primarily manufactured for use on public roads must also file an HS-7 Declaration form to identify the basis for the vehicle's admission under the laws administered by the U.S. Department of Transportation. For more information, see www.nhtsa.dot.gov/cars/rules/import/.

Paperwork Reduction Act Notice

This information is collected to ensure that motor vehicles and engines imported into the U.S. conform with applicable emission requirements. Responses to this collection are mandatory (40 CFR 85.1501 et seq., and Clean Air Act Sections 203 and 208). Information submitted to the Agency under a claim of confidentiality will be safeguarded according to policies set forth in Title 40, Chapter 1, Part 2, Subpart B. The public reporting and recordkeeping burden for this collection of information is estimated to average 30 minutes per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintain-ing information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822), 1200 Pennsylvania Ave., NW, Washington, D.C. 20480. Include the OMB control number in any correspondence. Do not send the completed form to this address.

EPA Form 3520-1 (Rev. 1-14) Previous editions are obsolete

Page 2 of 2

Figure K4-5. EPA Form 3520-1 Importation of Motor Vehicles and Motor Vehicle Engines Subject to Federal Air Pollution Regulations (Cont'd)

THIS PAGE INTENTIONALLY LEFT BLANK